Suer
Nutzfahrzeugtechnik

Warning signs
Markings
Signs

This ist Suer!

With three domestic and two foreign branches, Suer is one of Europe's leading production and trading companies for vehicle components, vehicle lighting and load securing products. Approximately 180 people are employed at the German locations.

In addition to the traditional trading business, the focus today is on service and innovation in all aspects of vehicle construction. Alongside products from our strong partners, we are increasingly focussing on our own developments in the areas of vehicle construction, commercial vehicle technology and load securing.




Vehicle components

Aluminium & side boards

Construction kits

Load securing

Camera systems

Lighting

Compressed air & brake

Roof systems

Agricultural engineering

www.suer.de | www.fahrzeugbau-shop.de

WARNING SIGNS	4
SINGLE-SUBSTANCE/DUAL-SUBSTANCE PANELS	5
NUMBER SIGNS	6
ACCESSORIES FOR WARNING SIGNS	7
WARNING SIGNS AGRICULTURE AND FORESTRY	8
WARNING SIGNS FOR VEHICLES WITH EXCESS WIDTH/EXCESS LENGTH	10
WARNING SIGNS WASTE TRANSPORTS	16
SCHOOL BUS SIGNS	17
REAR MARKING SIGNS	19
PARKING WARNING SIGNS	20
ACCESSORIES FOR DANGER LABEL	22
WARNING MARKINGS FOR TRAILING VEHICLES	23
TRUCK SIGNS	24
SPECIAL WARNING SIGNS	26
WARNING MARKINGS	27
ADHESIVE REPAIR TAPES	31
VEHICLE EQUIPMENT	32
ARTICLE NUMBER INDEX	33

Warning signs · Markings ·Signs (2025 Edition)

Technical changes and copyrights reserved. Texts and images within the catalogue are the intellectual property of Suer Nutzfahrzeugtechnik GmbH & Co. KG. Reprinting and reproduction - including excerpts - as well as the use of individual texts or illustrations from the content are only permitted after receipt of our written approval.

We do not assume any warranty for the technical data, descriptions, images, drawings and recommendations for use contained therein. The user cannot assert any legal assert any legal claims whatsoever from the contents. The application and use of the parts offered is the responsibility of the user and beyond our control.

© Suer Nutzfahrzeugtechnik GmbH & Co KG, April 2025

Rigid warning signs - 300 × 120 mm

Type I, retroreflective RA1/A, orange with black edge.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730011	Sheet steel with edge protection	0,35
345730012	Magnetic foil	0,10

Foldable warning sign - 300 × 120 mm

Type I, retroreflective RA1/A, orange with black edge, vertically foldable, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730009	Sheet steel with edge protection	0.35

Rigid warning signs - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730005	Sheet steel with edge protection	1.05
345730006	Magnetic foil	0.33
345730007	Self-adhesive foil	0.04

Foldable warning signs - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730002	Sheet steel with edge protection, horizontally foldable	1.05
345730277	Aluminium with edge protection	0.45

Rigid single-substance sign - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730013	Sheet steel with edge protection, numbers 33/1203	1.0
345730014	Sheet steel with edge protection, numbers 30/1202	1.0

Foldable single-substance sign - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge, vertically foldable, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730015	Sheet steel with edge protection, numbers 33/1203	1.05
345730016	Sheet steel with edge protection, numbers 30/1202	1.05

Rigid double warning sign - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730042	Sheet steel without edge protection, double-sided, numbers 30/1202 and 33/1203 on the back	1.93

Rigid double-substance warning sign - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730047	Sheet steel without edge protection, interchangeable strip, with embossing 30/1202 or 33/1203	1.56

Rigid double-substance rotation signs - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge and bracket, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730048	Sheet steel with edge protection, embossing 30/1202 or 33/1203	2.0

Rigid number signs - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730017	Sheet steel with edge protection, without blank fields	1.85
345730020	Sheet steel with edge protection, incl. number set 14 AZT	2.71



Foldable number signs - 400 × 300 mm

Type I, retroreflective RA1/A, orange with black edge and brackets, horizontally foldable, supplied with fixing elements.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730021	Sheet steel with edge protection, without blank fields	2.45
345730024	Sheet steel with edge protection, incl. number set 14 AZT	3.53

Number sets - 70 × 117 mm

Type I, retroreflective RA1/A, orange, 25 pcs. numbers and X, with bag.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730027	Sheet steel	1.60
345730028	V2A	0.44

Single numbers, X, blank field and pocket

Sheet steel, 70 × 117 mm, Type I, retroreflective RA1/A, orange.
Dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730029	Number 0	0.05
345730030	Number 1	0.05
345730031	Number 2	0.05
345730032	Number 3	0.05
345730033	Number 4	0.05
345730034	Number 5	0.05
345730035	Number 6	0.05
345730036	Number 7	0.05
345730037	Number 8	0.05
345730038	Number 9	0.05
345730039	X	0.05
345730040	Blank field	0.05
345730041	PVC bag	0.04

Universal covers for dangerous goods warning signs

Fire tested according to DIN, fire resistant for 15 minutes.
Accessories for dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730049	Special fabric, 400 × 300 mm	0.1
345730050	Sheet steel, coated, 410 × 308 mm	1.2

Repositioning frame - 400 × 300 mm

Sheet steel, black powder coated, with safety tab, for inserting two warning signs of size 400 x 300 mm, with spring steel tab and holes for mounting, weight 1.9 kg.
Accessories for dangerous goods warning signs according to GGVSEB/ADR.

345730051

Bracket set for warning signs

Flat steel, weight 0.44 kg.
Accessories for dangerous goods warning signs according to GGVSEB/ADR.

345730052

Single swivel

For mounting all foldable signs.
Accessories for dangerous goods warning signs according to GGVSEB/ADR.

	Version	Weight [kg]
345730278	Stainless steel	0.01
345730053	Nickel-plated brass	0.01

Rigid warning signs - 423 × 423 mm

Type I, retroreflective RA1/A, white/red.
Warning signs for attachments in agriculture and forestry
(according to § 53b StVZO and DIN 11030).

	Version	Weight [kg]
345730067	Sheet steel with edge protection	1.50
345730280	Sheet steel with edge protection, double-sided	1.55
345730279	Sheet steel without edge protection	1.44
345730068	Magnetic foil	0.57
345730281	Self-adhesive foil	0.08

Foldable warning signs - 423 × 423 mm

Type I, retroreflective RA1/A, white/red, supplied with fixing elements.
Warning signs for attachments in agriculture and forestry
(according to § 53b StVZO and DIN 11030).

	Version	Weight [kg]
345730069	Sheet steel with edge protection, left-pointing	1.54
345730070	Sheet steel with edge protection, right-pointing	1.54

Rigid warning signs - 282 × 423/564 mm

Type I, retroreflective RA1/A, white/red.
Warning signs for attachments in agriculture and forestry
(according to § 53b StVZO and DIN 11030).

	Version	Dimensions [mm]	Weight [kg]
345730073	Sheet steel without edge protection, left-pointing	282 × 423	0.97
345730074	Sheet steel without edge protection, right-pointing	282 × 423	0.97
345730077	Self-adhesive foil, left-pointing	282 × 423	0.04
345730078	Self-adhesive foil, right-pointing	282 × 423	0.04
345730081	Self-adhesive foil, left-pointing	282 × 564	0.06
345730082	Self-adhesive foil, right-pointing	282 × 564	0.06

Rigid warning signs - 141 × 423/846 mm

Type I, retroreflective RA1/A, white/red.
Warning signs for attachments in agriculture and forestry
(according to § 53b StVZO and DIN 11030).

	Version	Dimensions [mm]	Weight [kg]
345730085	Sheet steel without edge protection, left-pointing	141 × 846	0.97
345730086	Sheet steel without edge protection, right-pointing	141 × 846	0.97
345730089	Self-adhesive foil, left-pointing	141 × 846	0.03
345730090	Self-adhesive foil, right-pointing	141 × 846	0.03
345730093	Sheet steel without edge protection, left-pointing	141 × 423	0.47
345730094	Sheet steel without edge protection, right-pointing	141 × 423	0.47
345730097	Self-adhesive foil, left-pointing	141 × 423	0.02
345730098	Self-adhesive foil, right-pointing	141 × 423	0.02

Set of warning signs with lighting - 423 × 423 mm

Set of 2 warning signs DIN 11030 (Type I) and 2 three-function lights, completely wired, for fixed mounting, weight 4.54 kg.
Warning signs for attachments in agriculture and forestry (according to § 53b StVZO and DIN 11030).

848967000

Warning sign R 1130/28 HM - 423 × 423 mm

Sheet steel, Type I, pointing to one side, rear centre, with 2-chamber light and 6000 mm long connection cable, weight 2.0 kg.
Warning signs for attachments in agriculture and forestry (according to § 53b StVZO and DIN 11030).

848978000

Lighting set

2 pendants each with 1 triple-function light and 1 triangular reflector, completely wired with 7-pole plug, intermediate cable 2.20 m, main cable 7.50 m, socket, without impact protection, weight 2.2 kg.

848946000

Truss lighting with three-function lights

Adjustable approx. 1.3 - 1.7 m, triangular reflector, fully wired, main cable 7.5 m, socket, licence plate, impact protection, weight 4.0 kg.

848999000

Rigid warning signs - 282 × 423/564 mm

Type II, retroreflective RA2/B, white/red.
Warning signs for vehicles with excess width/excess length (according to § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Dimensions [mm]	Weight [kg]
345730075	Sheet steel without edge protection, left-pointing	282 × 423	0.97
345730076	Sheet steel without edge protection, right-pointing	282 × 423	0.97
345730079	Self-adhesive foil, left-pointing	282 × 423	0.06
345730080	Self-adhesive foil, right-pointing	282 × 423	0.06
345730083	Self-adhesive foil, left-pointing	282 × 564	0.06
345730084	Self-adhesive foil, right-pointing	282 × 564	0.07

Rigid warning signs - 141 × 423/846 mm

Type II, retroreflective RA2/B, white/red.
Warning signs for vehicles with excess width/excess length (according to § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Dimensions [mm]	Weight [kg]
345730087	Sheet steel without edge protection, left-pointing	141 × 846	0.97
345730088	Sheet steel without edge protection, right-pointing	141 × 846	0.97
345730091	Self-adhesive foil, left-pointing	141 × 846	0.04
345730092	Self-adhesive foil, right-pointing	141 × 846	0.04
345730095	Sheet steel without edge protection, left-pointing	141 × 423	0.48
345730096	Sheet steel without edge protection, right-pointing	141 × 423	0.48
345730099	Self-adhesive foil, left-pointing	141 × 423	0.03
345730100	Self-adhesive foil, right-pointing	141 × 423	0.03

Marking of oversize self-propelled agricultural and forestry machines „Excess width follows“ (for escort vehicle)

1 mm sheet steel, 1100 × 400 mm, white ground retroreflective RA2/B, red-black print, weight 5.42 kg.
Warning signs for vehicles with excess width/excess length (according to § 32 StVZO, § 22 StVO and DIN 30710).

345730213

Suer
Nutzfahrzeugtechnik

Warning signs for vehicles with excess width

Product flyer

UNIQUE NEW DESIGN

Excess width warning signs, rigid, with LED light strip, 3-pin connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 3-pin plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553724	right rear	without	4.9
204553727	right rear	with	5.2
204553730	left rear	without	4.9
204553733	left rear	with	5.2
204553736	right front	without	4.9
204553739	right front	with	5.2
204553742	left front	without	4.9
204553745	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)

Excess width warning signs, foldable, with LED light strip, 3-pin connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 3-pin plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553700	right rear	without	4.9
204553703	right rear	with	5.2
204553706	left rear	without	4.9
204553709	left rear	with	5.2
204553712	right front	without	4.9
204553715	right front	with	5.2
204553718	left front	without	4.9
204553721	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)

Excess width warning signs, rigid, with LED light strip, 3-pin connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 7-pin plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553725	right rear	without	4.9
204553728	right rear	with	5.2
204553731	left rear	without	4.9
204553734	left rear	with	5.2
204553737	right front	without	4.9
204553740	right front	with	5.2
204553743	left front	without	4.9
204553746	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)

Excess width warning signs, foldable, with LED light strip, 7-pin connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 7-pin plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553701	right rear	without	4.9
204553704	right rear	with	5.2
204553707	left rear	without	4.9
204553710	left rear	with	5.2
204553713	right front	without	4.9
204553716	right front	with	5.2
204553719	left front	without	4.9
204553722	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)

Excess width warning signs, rigid, with LED light strip, 230 V connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 230 Volt plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553726	right rear	without	4.9
204553729	right rear	with	5.2
204553732	left rear	without	4.9
204553735	left rear	with	5.2
204553738	right front	without	4.9
204553741	right front	with	5.2
204553744	left front	without	4.9
204553747	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)



Excess width warning signs, foldable, with LED light strip, 230 V connection

Steel, white/red, with mounted bracket, 423 × 423 mm, Spiral connection cable with 230 Volt plug, maximum working length 1000 mm, including universal bracket.
Warning signs for vehicles with excess width/excess length (in accordance with § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Rotating beacon adapter	Weight [kg]
204553702	right rear	without	4.9
204553705	right rear	with	5.2
204553708	left rear	without	4.9
204553711	left rear	with	5.2
204553714	right front	without	4.9
204553717	right front	with	5.2
204553720	left front	without	4.9
204553723	left front	with	5.2

* Rotating beacon 245553849 on page 15 (not included in delivery)

FABRILcar® Rotating Beacon LED 42-440

12/24 V, for push-on tube, flat, IP67, ADR, ECE R65 + ECE R10, flexible flange, DIN connection, 4 light patterns, weight 0.26 kg.

245553849

Suitable for excess width warning signs with adapter for rotating beacon on pages 12, 13 and 14.

Excess width warning signs with mounted clearance lights

Galvanised sheet metal, white/red, with mounted bracket, to DIN 11030, 423 × 423 mm, 2 protected mounted clearance lights Superpoint III LED spiral connection cable with 7-pole plug to ISO 1724, maximum working length 2000 mm.
Warning signs for vehicles with excess width/excess length (according to § 32 StVZO, § 22 StVO and DIN 30710).

	Version	Weight [kg]
204553519	Front left	5.7
204553520	Front right	5.7
204553515	Rear left	5.7
204553517	Rear left, with adapter for rotating beacon	5.7
204553516	Rear right	5.7
204553518	Rear right, with adapter for rotating beacon	5.7

Rigid „A“ warning signs - 400 × 300 mm

Type I, retroreflective RA1/A, white/black.
Warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

	Version	Weight [kg]
345730154	Sheet steel with edge protection	1.00
345730156	Magnetic foil	0.35
345730157	Self-adhesive foil	0.04

Vertically foldable „A“ warning signs - 400 × 300 mm

Type I, retroreflective RA1/A, white/black, with mounting elements.
Warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

	Version	Swivel	Weight [kg]
345730160	Sheet steel with edge protection	top	1.30
345730161	Sheet steel with edge protection	centre	1.00
345730162	Sheet steel with edge protection	bottom left	1.00
345730295	Sheet steel without edge protection	top	0.95

Horizontally foldable „A“ warning signs - 400 × 300 mm

Type I, retroreflective RA1/A, white/black, with mounting elements.
Warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

	Version	Weight [kg]
345730165	Sheet steel with edge protection	1.00
345730166	Aluminium with edge protection	0.49

Cover for „A“ warning signs - 400 × 300 mm

Nylon fabric coated, bronze green, flame retardant, weight 0.06 kg.
Accessories for warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

345730167

Bracket set for warning signs

Flat steel, weight 0.44 kg.
Accessories for warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

345730052

Single swivel

Stainless steel, for mounting all foldable signs, weight 0.01 kg.
Accessories for warning signs for waste transports (according to § 55 KrWG, §10 AbfVerbrG).

345730278

Rigid school bus signs

Type I, retroreflective RA1/A, orange with black edge.
School bus signs (according to § 33 para. 4 of the BOKraft).

	Version	Dimensions [mm]	Weight [kg]
345730140	Magnetic foil*	250 × 250	1.17
345730141	Plastic, with suction cup*	250 × 250	0.20
345730142	Self-adhesive foil*	250 × 250	0.03
345730143	Magnetic foil	400 × 400	0.50
345730144	Plastic, with suction cup	400 × 400	0.50
345730145	Self-adhesive foil	400 × 400	0.06
345730146	Sheet steel without edge protection (with mounting elements)	400 × 400	1.25
345730147	Plastic, with suction cup	600 × 600	1.10
345730148	Sheet steel without edge protection (with mounting elements)	600 × 600	2.90

*Only permissible as additional marking.

Foldable school bus signs

Type I, retroreflective RA1/A, orange with black edge, with mounting elements.
School bus signs (according to § 33 para. 4 of the BOKraft).

	Version	Dimensions [mm]	Weight [kg]
345730151	Sheet steel with edge protection	400 × 400	1.40
345730149	Sheet steel without edge protection	400 × 400	1.25
345730150	Sheet steel without edge protection	600 × 600	2.90

Plastic suction cup set

Consisting of 4 plastic suction cups, 4 washers and 4 nuts, weight 0.55 kg.
Acccessories for school bus signs (according to § 33 para. 4 of the BOKraft).

345730152

Bracket set for warning signs

Flat steel, weight 0.44 kg.
Acccessories for school bus signs (according to § 33 para. 4 of the BOKraft).

345730052

Single swivel

Stainless steel, for mounting all foldable signs, weight 0.01 kg.
Acccessories for school bus signs (according to § 33 para. 4 of the BOKraft).

345730278

Notes



Rear marking signs for trailers/semitrailers

Type III, retroreflective, yellow foil RA3/C, red fluorescent foil, type-tested.
Rear identification plates for trailers/semitrailers according to ECE 70.01.

	Version	Dimensions [mm]	Weight [kg]
345730127	Smooth aluminium (set of 4 pcs)	285 × 196	0.16
345730128	Smooth aluminium	565 × 196	0.32
345730129	Smooth aluminium (set of 2 pcs)	565 × 196	0.65
345730130	Self-adhesive foil	565 × 196	0.05
345730131	Self-adhesive foil (set of 2 pcs)	565 × 196	0.10
345730132	Smooth aluminium	1130 × 196	0.63
345730292	Self-adhesive foil	1130 × 196	0.14

Rear marking signs for trucks/tractors

Type III, retroreflective, yellow foil RA3/C, red fluorescent foil, type-tested.
Rear identification plates for trailers/semitrailers according to ECE 70.01 Chevron.

	Version	Dimensions [mm]	Weight [kg]
345730133	Smooth aluminium, right-pointing	565 × 132	0.25
345730134	Smooth aluminium, left-pointing	565 × 132	0.25
345730135	Smooth aluminium, set (left-pointing and right)	565 × 132	0.25
345730136	Self-adhesive foil, right-pointing	565 × 132	0.03
345730137	Self-adhesive foil, left-pointing	565 × 132	0.03
345730138	Self-adhesive foil, set (left-pointing and right)	565 × 132	0.09
345730139	Smooth aluminium	1130 × 132	0.44

You can also find all articles in our webshop under:

www.fahrzeugbau-shop.de

Rigid parking warning signs - 423 × 423 mm

Type II, retroreflective RA2/B, white/red, left-pointing and right, type-tested, according to DIN 11030, DIN 30710 and RA2 EN 12899-1.
Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730101	Sheet steel without edge protection	1.55
345730102	Sheet steel with edge protection	1.60
345730105	Magnetic foil	0.57
345730103	Aluminium, 8 drill holes, without edge protection	1.55

Foldable parking warning signs - 423 × 423 mm

Type II, retroreflective RA2/B, white/red, type-tested, according to DIN 11030, DIN 30710 and RA2 EN 12899-1.
Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730106	Sheet steel without edge protection, left-pointing	1.6
345730107	Sheet steel without edge protection, right-pointing	1.6

Rigid parking warning signs, 285 × 285 mm

Type III, retroreflective RA3/C, white/red, type-tested.
Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730282	Sheet steel without edge protection, left-pointing	0.7
345730283	Sheet steel without edge protection, right-pointing	0.7

Foldable parking warning signs, 285 × 285 mm

Type III, retroreflective RA3/C, white/red, type-tested.
Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730284	Sheet steel without edge protection, left-pointing	0.7
345730285	Sheet steel without edge protection, right-pointing	0.7

Rigid parking warning signs, 285 × 285 mm, prismatic reflector

Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730288	Sheet steel, left-pointing	0.8
345730289	Sheet steel, right-pointing	0.8



Foldable parking warning signs, 285 × 285 mm, prismatic reflector

Parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

	Version	Weight [kg]
345730286	Aluminium, left-pointing	0.8
345730287	Aluminium, right-pointing	0.8

Bracket set for warning signs

Flat steel, weight 0.44 kg.
Accessories for parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

345730052

Single swivel

Stainless steel, for mounting of all foldable signs, weight 0.01 kg.
Accessories for parking warning signs (according to § 17 StVO, § 22a StVZO and TA 18 b).

345730278

Changing frame for danger labels

Mit Sicherungslasche.
Danger labels (according to GGVSEB/ADR).

	Version	Weight [kg]
345730055	Sheet steel, 250 × 250 mm	0.56
345730056	Sheet steel, 300 × 300 mm	0.82
345730057	Stainless steel V2A, 250 × 250 mm	0.54
345730058	Stainless steel V2A, 300 × 300 mm	0.80

Base plates for danger labels

Danger labels (according to GGVSEB/ADR).

	Version	Weight [kg]
345730059	Sheet steel, 250 × 250 mm	0.48
345730060	Plastic, 250 × 250 mm	0.08
345730061	Aluminium, 250 × 250 mm	0.25
345730062	Sheet steel, 300 × 300 mm	1.00
345730063	Plastic, 300 × 300 mm	0.28
345730064	Aluminium, 300 × 300 mm	0.47

All catalogues and brochures also as download on:

www.suer.de

Warning clip

Aluminium, Type II, retroreflective RA2/B, yellow, 105 mm long, Ø 70 mm, weight 0.28 kg.
Warning markings and warning flags for trailing vehicles (according to § 22 Abs. 4 StVO, § 51a Abs. 7 StVZO).

345730169

Warning flag with fixing strip

PVC fabric, Type II, retroreflective RA2/B, white/red, 465 × 425 mm, weight 1.26 kg.
Warning markings and warning flags for trailing vehicles (according to § 22 Abs. 4 StVO, § 51a Abs. 7 StVZO).

345730170

Toggle screw

Steel, weight 0.14 kg.
Warning markings and warning flags for trailing vehicles (according to § 22 Abs. 4 StVO, § 51a Abs. 7 StVZO).

345730171

Speed signs Germany

Self-adhesive foil, Ø 200 mm, non-reflective, ground white, print black, PU 5 pieces, according to StVZO § 58.

	Version [km/h]	Weight [kg]
345730172	6	0.01
345730173	9	0.01
345730174	10	0.01
345730175	15	0.01
345730176	20	0.01
345730291	25	0.01
345730177	30	0.01
345730294	40	0.01
345730178	45	0.01
345730290	50	0.01
345730179	60	0.01
345730180	65	0.01
345730181	70	0.01
345730293	80	0.01
345730182	90	0.01
345730183	100	0.01



Speed signs Europe

Self-adhesive foil, Ø 200 mm, non-reflective, ground white, print red/ black, PU 5 pieces.

	Version [km/h]	Weight [kg]
345730184	20	0.05
345730185	25	0.05
345730186	45	0.05
345730187	50	0.05
345730188	60	0.05
345730189	70	0.05
345730190	80	0.05
345730191	90	0.05
345730192	100	0.05



Trailer swings out

Vehicle swings out

Wide load

Long load

Trailer swings out

Truck signs „Achtung“ (Attention) - 200 × 800 mm

White ground, black print, white/red edge.

	Version	Retro-reflective	Weight [kg]
345730194	„Auflieger schwenkt aus“, Sheet steel	no	1.27
345730195	„Auflieger schwenkt aus“, self-adhesive foil	no	0.04
345730204	„Auflieger schwenkt aus“, Sheet steel	yes	1.27
345730205	„Auflieger schwenkt aus“, self-adhesive foil	yes	0.04
345730196	„Fahrzeug schwenkt aus“, Sheet steel	no	1.27
345730197	„Fahrzeug schwenkt aus“, self-adhesive foil	no	0.04
345730206	„Fahrzeug schwenkt aus“, Sheet steel	yes	1.27
345730207	„Fahrzeug schwenkt aus“, self-adhesive foil	yes	0.04
345730198	„Überbreite“, Sheet steel	no	1.27
345730199	„Überbreite“, self-adhesive foil	no	0.04
345730200	„Überlänge“, Sheet steel	no	1.27
345730201	„Überlänge“, self-adhesive foil	no	0.04
345730202	„Anhänger schwenkt aus“, Sheet steel	no	1.27
345730203	„Anhänger schwenkt aus“, self-adhesive foil	no	0.04

Construction site vehicle

Truck signs „Baustellenfahrzeug“ - 200 × 650 mm

White ground, black print, white/red edge.

	Version	Weight [kg]
345730211	Self-adhesive foil	0.04
345730212	Plastic	0.38

Heavy transport

Truck signs „Schwertransport“ - 200 × 800 mm

White ground, black print, white/red edge.

	Version	Weight [kg]
345730209	Sheet steel	1.27
345730210	Self-adhesive foil	0.04

Winter service

Truck sign „Winterdienst“ - 200 × 800 mm

Sheet steel, non-refective, white ground, black print, white/red edge, weight 1.25 kg.

345730208

Long truck

Truck sign „LANG-LKW“ - 230 × 770 mm

Aluminium, Type II, retroreflective RA2/B, according to ECE 70, weight 0,75 kg.

345730193

ECE 69/ECE 69.01 for slow moving vehicles

360 × 410 mm, retroreflective RA2/RA3, red fluorescent.

	Version	Weight [kg]
345730121	Aluminium (ECE 69)	0.37
345730122	Aluminium (ECE 69.01)	0.36
345730123	Self-adhesive foil (ECE 69)	0.06

ERKE signs according to TL for marking of military vehicles

Retroreflective RA2/B.

	Version	Dimensions [mm]	Weight [kg]
345730113	Sheet steel with edge protection	400 × 400	0.81
345730114	Plastic without edge protection	200 × 200	0.14

TIR warning signs for transit traffic - 400 × 250 mm

Non-reflective, White/blue.

	Version	Weight [kg]
345730115	Sheet steel with edge protection, rigid	0.86
345730116	Sheet steel with edge protection, foldable	0.86
345730117	Sheet steel without edge protection, foldable	0.83
345730118	Aluminium without edge protection, rigid	0.56
345730119	Plastic without edge protection, rigid	0.30
345730120	Self-adhesive foil	0.03

Container warning markings - 141 × 705 mm

Type II, retroreflective RA2, white/red, BASt-tested according to StVO § 32(1) and DIN 67520/6171.
Container warning markings (according StVO § 32(1), DIN 67520 and DIN 6171).

	Version	Weight [kg]
345730237	3M, self-adhesive foil, RA2/C, single strip, left-pointing	0.03
345730238	3M, self-adhesive foil, RA2/C, single strip, right-pointing	0.03
345730239	Orafol, self-adhesive foil, RA 2/C, set (4 left-/4 right-pointing)	0,32
345730240	Magnetic foil, RA2/B, set (4 left-/4 right-pointing)	3.30



Warning flags for tail lifts - 250 × 400 mm

Type II, retroreflective RA2/C, white/red, type-tested, microprismatic foil/Witte plusmatic®.
Warning flags for tail lifts (according to § 53b StVZO).

	Version	Weight [kg]
345730242	PVC fabric, left-pointing, without bracket	0.13
345730243	PVC fabric, right-pointing, without bracket	0.13
345730241	PVC fabric, set, with bracket	0.35

Interchangeable brackets warning flags for tail lifts

Including fixing screws.
Warning flags for tail lifts (according to § 53b StVZO).

	Version	Weight [kg]
345730244	Aluminium, small	0.05
345730245	Aluminium, wide	0.10
345730246	Plastic	0.04

Vehicle warning markings Witte pluslite®

Type II, reflective foil RA2/B, white/red, according to DIN 30710.
Vehicle warning markings (according to § 35 StVO, § 52 StVZO).

	Version	Width [mm]	Length [m]	Weight [kg]
345730214	Single roll, left-pointing	141	9.0	0.78
345730215	Single roll, right-pointing	141	9.0	0.78
345730216	Single roll, left-pointing	141	45.7	3.47
345730217	Single roll, right-pointing	141	45.7	3.47
345730218	Single roll, left-pointing	282	9.0	1.50
345730219	Single roll, right-pointing	282	9.0	1.50
345730220	Single roll, left-pointing	282	45.7	6.8
345730221	Single roll, right-pointing	282	45.7	6.8

Vehicle warning markings magnetic foil

Type II, retroreflective RA2/B, red/white, according to DIN 30710.
Vehicle warning markings (according to § 35 StVO, § 52 StVZO).

	Version	Dimensions [mm]	Weight [kg]
345730223	Single roll, left-pointing	141 × 282	0.13
345730224	Single roll, right-pointing	141 × 282	0.13
345730225	Set (1 left-/1 right-pointing)	141 × 564	0.24
345730226	Set (4 left-/4 right-pointing)	141 × 705	0.60
345730227	Set (2 left-/2 right-pointing)	282 × 282	0.24

Kfz-Warnmarkierungen 3M 823i

Type II, Reflexfolie RA2/C, white/red, according to DIN 30710.
Vehicle warning markings (according to § 35 StVO, § 52 StVZO).

	Version	Width [mm]	Length [m]	Weight [kg]
345730228	Single roll, left-pointing	141	9.0	0.54
345730229	Single roll, right-pointing	141	9.0	0.54
345730230	Single roll, left-pointing	141	45.7	2.17
345730231	Single roll, right-pointing	141	45.7	2.17
345730232	Single roll, left-pointing	282	9.0	1.10
345730233	Single roll, right-pointing	282	9.0	1.10
345730234	Single roll, left-pointing	282	45.7	4.23
345730235	Single roll, right-pointing	282	45.7	4.23

Edge protection foil for sealing warning foils

Cast PVC foil, transparent, width 25 mm, length 47,5 m, weight 0.28 kg.

345730222

Contour markings for fixed superstructures

Type III, retroreflective RA3/C.
Contour markings according to ECE 104, ECE 48 as well as § 53 Abs. 10 StVZO and BGI 800.

	Version	Colour	Width [mm]	Length [m]	Weight [kg]
345730296	Avery Dennison	white	55.0	50.0	1.47
345730297	Avery Dennison	yellow	55.0	50.0	1.47
345730298	Avery Dennison	red	55.0	50.0	1.47
345730249	3M	white	53.5	50.0	1.47
345730250	3M	yellow	53.5	50.0	1.47
345730251	3M	red	53.5	50.0	1.47



Contour markings for tarpaulin superstructures

Type III, retroreflective RA3/C, only for new tarpaulins (not older than 3 months).
Contour markings according to ECE 104, ECE 48 as well as § 53 Abs. 10 StVZO and BGI 800.

	Version	Colour	Width [mm]	Length [m]	Weight [kg]
345730299	Avery Dennison	white	55	50.0	1.55
345730300	Avery Dennison	yellow	55	50.0	1.55
345730301	Avery Dennison	red	55	50.0	1.55
345730252	3M	white	51	50.0	1.75
345730253	3M	yellow	51	50.0	1.75
345730254	3M	red	51	50.0	1.75

Tanker sticker for tankers with round/oval rear surface

Self-adhesive foil, Type III, retroreflective RA3/C, dimensions of single sticker 160 × 50 mm, 300 pcs per roll.
Contour markings according to ECE 104, ECE 48 as well as § 53 Abs. 10 StVZO and BGI 800.

	Version	Colour	Width [mm]	Length [m]	Weight [kg]
345730255	Orafol	white	50	50.0	0.93
345730256	Orafol	yellow	50	50.0	0.93
345730257	Orafol	red	50	50.0	0.93
345730258	3M	white	50	50.0	1.33
345730259	3M	yellow	50	50.0	1.33
345730260	3M	red	50	50.0	1.33

YOUR APPEARANCE WITH CONTOUR

Contour markings for **fixed superstructures** with customer logo

Contour markings for fixed superstructures with customer logo

Type III, retroreflective RA3/C.
Contour markings according to ECE 104, ECE 48 as well as § 53 Abs. 10 StVZO and BGI 800.

	Version	Colour	Width [mm]	Length [m]	Weight [kg]
345730302	Orafol with logo	white	50	50.0	1.47
345730303	Orafol with logo	yellow	50	50.0	1.47
345730304	Orafol with logo	red	50	50.0	1.47

Three steps to your personalised contour marking:

Step 1: Choose the roll colour.

- red
- yellow
- white

Oralite VC 104+ quality foil
only for Festaufbauten

Step 2: Set the lettering.

Standard font: _____

or send a logo in eps file format
to the mail address of your Suer contact

Step 3: Choose the number of rolls.

_____ rolls (minimum purchase 12 rolls per colour)

Barrier tapes

Polyethylene, width 80 mm, length 500 m.

	Version	Weight [kg]
345730247	red/white	1.5
345730248	yellow/black	1.5

Tarpaulin repair tapes Plaster-Tape®

Highly tear-resistant self-adhesive PVC fabric (original tarpaulin material), for permanent repair of truck and trailer tarpaulins, width 50 mm, length 5 m.

	Version	RAL-No.	Weight [kg]
345730268	Black	9005	0.29
345730269	White	9010	0.29
345730270	Silver	9006	0.29
345730271	Orange	2011	0.29
345730272	Yellow	1018	0.29
345730273	Red	3000	0.29
345730274	Light grey	7038	0.29
345730275	Dark blue	5010	0.29
345730276	Dark green	6026	0.29

Reflex guiding cone EU

White/red retroreflective RA1/A, reflective foil according to Type A of TL guiding cone, BASt V4 tested, meets national and international standards, with conical base, stackable.
Vehicle equipment (gemäß BG).

	Version	Weight [kg]
345730263	PVC, 500 mm	2.64
345730264	PVC, 750 mm	6.15

Daylight guiding cone

White/red.
Vehicle equipment (according to BG).

	Version	Weight [kg]
345730261	PVC, 300 mm	0.54
345730262	PVC, 500 mm	1.27

Plastic warning flag

Red, 300 × 300 mm, with round wire bracket and fixing rope, weight 0.03 kg.
Vehicle equipment (according to BG).

345730266

Fabric warning flag

White/fluorescent orange/white, reflective, 500 × 500 mm, with wooden handle 80 cm, weight 1.5 kg.
Vehicle equipment (according to BG).

345730267

204553515	15
204553516	15
204553517	15
204553518	15
204553519	15
204553520	15
204553700	12
204553701	13
204553702	14
204553703	12
204553704	13
204553705	14
204553706	12
204553707	13
204553708	14
204553709	12
204553710	13
204553711	14
204553712	12
204553713	13
204553714	14
204553715	12
204553716	13
204553717	14
204553718	12
204553719	13
204553720	14
204553721	12
204553722	13
204553723	14
204553724	12
204553725	13
204553726	14
204553727	12
204553728	13
204553729	14
204553730	12
204553731	13
204553732	14
204553733	12
204553734	13
204553735	14
204553736	12
204553737	13
204553738	14
204553739	12
204553740	13
204553741	14
204553742	12
204553743	13
204553744	14
204553745	12
204553746	13
204553747	14
245553849	15
345730002	4
345730005	4
345730006	4
345730007	4
345730009	4
345730011	4
345730012	4
345730013	5
345730014	5
345730015	5
345730016	5
345730017	6
345730020	6
345730021	6
345730024	6
345730027	6
345730028	6
345730029	6
345730030	6
345730031	6
345730032	6
345730033	6
345730034	6
345730035	6
345730036	6
345730037	6
345730038	6
345730039	6
345730040	6
345730041	6
345730042	5
345730047	5
345730048	5
345730049	7
345730050	7
345730051	7
345730052	7, 16, 17, 21
345730053	7
345730055	22
345730056	22
345730057	22
345730058	22
345730059	22
345730060	22
345730061	22
345730062	22
345730063	22
345730064	22
345730067	8
345730068	8
345730069	8
345730070	8
345730073	8
345730074	8
345730075	10
345730076	10
345730077	8
345730078	8
345730079	10
345730080	10
345730081	8
345730082	8
345730083	10
345730084	10
345730085	8
345730086	8
345730087	10
345730088	10
345730089	8
345730090	8
345730091	10
345730092	10
345730093	8
345730094	8
345730095	10
345730096	10
345730097	8
345730098	8
345730099	10
345730100	10
345730101	20
345730102	20
345730103	20
345730105	20
345730106	20
345730107	20
345730113	26
345730114	26
345730115	26
345730116	26
345730117	26
345730118	26
345730119	26
345730120	26
345730121	26
345730122	26
345730123	26
345730127	19
345730128	19
345730129	19
345730130	19
345730131	19
345730132	19
345730133	19
345730134	19
345730135	19
345730136	19
345730137	19
345730138	19
345730139	19
345730140	17
345730141	17
345730142	17
345730143	17
345730144	17
345730145	17
345730146	17
345730147	17
345730148	17
345730149	17
345730150	17
345730151	17
345730152	17
345730154	16
345730156	16
345730157	16
345730160	16
345730161	16
345730162	16
345730165	16
345730166	16
345730167	16
345730169	23
345730170	23
345730171	23
345730172	24
345730173	24
345730174	24
345730175	24
345730176	24
345730177	24
345730178	24
345730179	24
345730180	24
345730181	24
345730182	24
345730183	24
345730184	24
345730185	24
345730186	24
345730187	24
345730188	24
345730189	24
345730190	24
345730191	24
345730192	24
345730193	25
345730194	25
345730195	25
345730196	25
345730197	25
345730198	25
345730199	25
345730200	25
345730201	25
345730202	25
345730203	25
345730204	25
345730205	25
345730206	25
345730207	25
345730208	25
345730209	25
345730210	25
345730211	25
345730212	25
345730213	10
345730214	28
345730215	28
345730216	28
345730217	28
345730218	28
345730219	28
345730220	28
345730221	28
345730222	28
345730223	28
345730224	28
345730225	28
345730226	28
345730227	28
345730228	28
345730229	28
345730230	28
345730231	28
345730232	28
345730233	28
345730234	28
345730235	28
345730237	27
345730238	27
345730239	27
345730240	27
345730241	27
345730242	27
345730243	27
345730244	27
345730245	27
345730246	27
345730247	31
345730248	31
345730249	29
345730250	29
345730251	29
345730252	29
345730253	29
345730254	29
345730255	29
345730256	29
345730257	29
345730258	29
345730259	29
345730260	29
345730261	32
345730262	32
345730263	32
345730264	32
345730266	32
345730267	32
345730268	31
345730269	31
345730270	31
345730271	31
345730272	31
345730273	31
345730274	31
345730275	31
345730276	31
345730277	4
345730278	7, 16, 17, 21
345730279	8
345730280	8
345730281	8
345730282	20
345730283	20
345730284	20
345730285	20
345730286	21
345730287	21
345730288	21
345730289	21
345730290	24
345730291	24
345730292	19
345730293	24
345730294	24
345730295	16
345730296	29
345730297	29
345730298	29
345730299	29
345730300	29
345730301	29
345730302	30
345730303	30
345730304	30
848946000	9
848967000	9
848978000	9
848999000	9
345730298	23
345730299	23
345730300	23
345730301	23
345730302	24
345730303	24
345730304	24
848946000	9
848967000	9
848978000	9
848999000	9

Suer
Nutzfahrzeugtechnik

Address:

Handelsstraße 5
42929 Wermelskirchen
Telefon +49 2196 946-0
Telefax +49 2196 946-100

E-Mail: info@suer.de
www.suer.de

Branches:

Kossaer Straße 2
04356 Leipzig
Telefon +49 341 229015-60
Telefax +49 2196 25516

Taitinger Straße 54
86453 Dasing
Telefon +49 8205 9611-0
Telefax +49 2196 946-251126

Foreign branches:

Suer Polska Sp. z.o.o.
Widziszewo, ul. Ceramiczna 8
PL 64-000 Kościan
Telefon +48 (65) 5129699
Telefax +48 (65) 5132148
E-Mail: info@suer.pl
www.suer.pl

UAB „Suer Baltic“
Titnago g. 14
LT-02300 Vilnius
Telefon +370 52196682
Telefax +370 52105301
E-Mail: suerbaltic@suer.lt
www.suer.lt

www.suer.de

YouTube